

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 06/01/2004 Revision date: 10/28/2019 Supersedes: n/a Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Bacterial Inoculant Trade name : Bolster L Dry

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Natural fertilizer
Use advised against : None identified

1.3. Details of the supplier of the safety data sheet

TerraMax, Inc 3650 Dodd Road Eagan, MN. 55123 Tel: 1-952-657-5592

1.4. Emergency telephone number

Emergency number : 1-800-535-5053 (24 HOURS)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Comb. Dust

Carc. 1A H350

Full text of H statements: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H232 - May form combustible dust concentrations in air

H350 - May cause cancer

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear eye protection, Respiratory protection, protective gloves P308+P313 - If exposed or concerned: Get medical advice/attention

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

Prolonged or repeated contact to skin may cause mild irritation. Contact to eye may cause mild eye irritation.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substance

Not applicable

04/05/2016 EN (English US) Page 1

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

3.2. Mixture

Name	Product identifier	%
Humate	(CAS No) Proprietary	90 - 95
Quartz	(CAS No) 14808-60-7	< 6
Limestone	(CAS No) 1317-65-3	4 - 6
Rhizobium leguminosarum		.002% w/w
Azospirillum brasilense		.002% w/w
Pseudomonas baetica		.002% w/w
Pantoea eucalypti		.002% w/w

Some constituent(s) and/or exact percentage(s) are being withheld as trade secrets.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Exposure to skin or mucous membranes may produce irritation, absorption of skin oils,

smarting, redness, or contact dermatitis.

Symptoms/injuries after eye contact : Exposure may cause reversible irritation and reddening of the eye.

Symptoms/injuries after inhalation : Can cause respiratory tract irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.

Explosion hazard : Avoid generation of dust; fine dust dispersed in air in sufficient concentration, and in the

presence of an ignition source is a potential dust explosion hazards.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Collect as much as possible in clean container for (preferably) re-use or disposal. Spills of this

product present a serious slipping hazard. Dust Deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere

in sufficient concentration.

6.1.1. For non-emergency personnel

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: Exposure-controls/personal protection.

Emergency procedures : Avoid contact with skin and eyes. Do not breathe dust. Evacuate unnecessary personnel.

04/05/2016 EN (English US) 2/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. For further information refer to section 8:

"Exposure controls/personal protection".

Emergency procedures : Contain for reuse if possible. Sweep and scoop spilled material into clean, dedicated

equipment. Collect all waste in suitable and labelled containers and dispose according to local

legislation.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow large quantities, as are, to spread into the environment. Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Recover mechanically the product. Wet clean or vacuum up solids. Sweep or shovel spills into appropriate container for disposal. Wash contaminated area with large amounts of water. Avoid raising powdered materials into airborne dust. Avoid dispersal of dust in the air (i.e., cleaning dust surfaces with compressed air). Non-sparking tools should be used.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid raising powdered materials into airborne dust. Avoid contact with skin and eyes. Do not breathe dust. Keep container closed when not in use. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build statics electricity charges when subjected to the friction of transfer and mixture operations. Provide adequate precautions, such as electrical grounding and bonding or inert atmospheres.

men atmospheres

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide adequate ventilation to minimize dust concentrations.

Storage conditions : Keep only in the original container in a cool, well-ventilated place. Keep containers closed when

not in use.

Incompatible materials : Strong acids.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (respirable fraction)
OSHA	A Remark (OSHA) (3) See Table Z-3.	
Limestone (1317-65-3)		

Limestone (1317-65-3)		
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable dust)

8.2. Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Provide a good standard of general ventilation (not less than 3 to 5 air changes per hour). It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust dusts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area. Use only appropriately classifies electrical equipment and powered industrial trucks.

04/05/2016 EN (English US) 3/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Personal protective equipment : Protective goggles. Gloves. Dust mask.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. It is strongly recommended contact lenses not be worn

when working with chemicals because they may increase the severity of an eye injury.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder
Color : Gray- black
Odor : Odorless

Odor threshold : No data available 6.0 - 7.0 (slurry) Relative evaporation rate (butyl acetate=1) No data available Melting point No data available No data available Freezing point Boiling point Not applicable Flash point Not applicable Not applicable Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative vapor density at 20 °C No data available Relative density No data available Solubility Insoluble in water No data available Log Pow

Log Kow: No data availableViscosity, kinematic: Not applicableViscosity, dynamic: Not applicableExplosive properties: No data available

Oxidizing properties : Not applicable (No oxidizing agent)

Explosion limits : No data available

9.2. Other information

Volatiles : None

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable and non-reactive under normal operating conditions.

10.2. Chemical stability

Stable under normal operating conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid low temperatures below freezing point.

10.5. Incompatible materials

Strong acids.

04/05/2016 EN (English US) 4/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

10.6. Hazardous decomposition products

Thermal decomposition: Carbon monoxide. Carbon dioxide. Alkali oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer.

Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

Aspiration hazard : Not classified

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No additional information available

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT
Not regulated for transport
Additional information

Other information : No supplementary information available.

04/05/2016 EN (English US) 5/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Humate		
Listed on the Canadian NDSL (Non-Domestic Substances List)		
Quartz (14808-60-7)		
Listed on the Canadian DSL (Domestic Substances List)		
WHMIS Classification Class D Division 2 Subdivision A - Very toxic material causing other toxic effects		
Limestone (1317-65-3)		
Listed on the Canadian NDSL (Non-Domestic Substances List)		
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	

EU-Regulations

Humate	•
--------	---

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Quartz (14808-60-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Limestone (1317-65-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

Humate

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List)

Quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

04/05/2016 EN (English US) 6/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Limestone (1317-65-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican national Inventory of Chemical Substances) Listed on CICR (Turkish Inventory and Control of Chemicals)

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

Quartz (14808-60-7)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	No	No	No	

SECTION 16: Other information

Other information

Refer to NFPA 654, Standard for the Prevention of Fire and Dust explosions from the Manufctureing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Carc. 1A	Carcinogenicity, Category 1A
Comb. Dust	Combustible dust
H232	May form combustible dust concentrations in air
H350	May cause cancer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

04/05/2016 EN (English US) 7/7